

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S14	241087	((routing near2 information near2 base) or (RIB))	US-PGPUB; USPAT	SAME	ON	2007/07/12 16:23
S15	6249	((routing near2 information near2 base) or (RIB)) with (partition\$3 or segment\$6)	US-PGPUB; USPAT	SAME	ON	2007/07/12 16:25
S16	2534	((routing near2 information near2 base) or (RIB)) near3 (partition\$3 or segment\$6)	US-PGPUB; USPAT	SAME	ON	2007/07/12 16:26
S17	632	((routing near2 information near2 base) or (RIB)) near3 (partition\$3 or segment\$6) and @rlad<"20040205"	US-PGPUB; USPAT	SAME	ON	2007/07/12 16:27
S18	0	((routing near2 information near2 base) or (RIB)) near3 (partition\$3 or segment\$6) and @rlad<"20040205" and "370"/\$.ccls.	US-PGPUB; USPAT	SAME	ON	2007/07/12 16:27
S19	1080	((routing near2 information near2 base) or (RIB)) near3 (partition\$3 or segment\$6) and @rlad<"20040205"	US-PGPUB; USPAT	SAME	ON	2007/07/12 16:29
S20	0	((routing near2 information near2 base) or (RIB)) near3 (partition\$3 or segment\$6) and @rlad<"20040205" and "370"/\$.ccls.	US-PGPUB; USPAT	SAME	ON	2007/07/12 16:28
S21	812	(((routing near2 information) or lookup) near2 (base or table)) same (partition\$3 or segment\$6)) and @rlad<"20040205"	US-PGPUB; USPAT	SAME	ON	2007/07/12 16:31
S22	1300	(((routing near2 information) or lookup) near2 (base or table)) same (partition\$3 or segment\$6 or distribut\$3)) and @rlad<"20040205"	US-PGPUB; USPAT	SAME	ON	2007/07/12 16:32
S23	461	(((routing near2 information) or lookup) near2 (base or table)) with (partition\$3 or segment\$6 or distribut\$3)) and @rlad<"20040205"	US-PGPUB; USPAT	SAME	ON	2007/07/12 16:32
S24	275	(((routing near2 information) or lookup) near2 (base or table)) near5 (partition\$3 or segment\$6 or distribut\$3)) and @rlad<"20040205"	US-PGPUB; USPAT	SAME	ON	2007/07/12 16:32
S25	121	((((routing near2 information) or lookup) near2 (base or table)) near5 (partition\$3 or segment\$6 or distribut\$3))).clm.	US-PGPUB; USPAT	SAME	ON	2007/07/12 16:37

EAST Search History

S26	30	(((((routing near2 information) or lookup) near2 (base or table)) near5 (partition\$3 or segment\$6 or distribut\$3)).clm. and @rlad<"20040205"	US-PGPUB; USPAT	SAME	ON	2007/07/12 16:37
S27	91	S25 not S26	US-PGPUB; USPAT	SAME	ON	2007/07/12 16:37
S28	99	((((routing near2 information) near2 (base or table)) near5 (partition\$3 or segment\$6 or distribut\$3))	US-PGPUB; USPAT	SAME	ON	2007/07/12 16:39
S29	32	((((routing near2 information) near2 (base or table)) near5 (partition\$3 or segment\$6 or distribut\$3)) and @rlad<"20040305"	US-PGPUB; USPAT	SAME	ON	2007/07/12 16:42
S30	3	((((routing near2 information) near2 (base or table)) near5 (partition\$3 or segment\$6)) and @rlad<"20040305"	US-PGPUB; USPAT	SAME	ON	2007/07/12 16:43
S31	29	((((routing near2 information) near2 (base or table)) same (partition\$3 or segment\$6)) and @rlad<"20040305"	US-PGPUB; USPAT	SAME	ON	2007/07/12 16:53
S32	1099	((routing near2 information) near2 (base or table)) and @rlad<"20040305"	US-PGPUB; USPAT	SAME	ON	2007/07/12 16:53
S33	2	((((routing near2 information) near2 (base or table)) near3 partition) and @rlad<"20040305"	US-PGPUB; USPAT	SAME	ON	2007/07/12 17:55
S34	0	((routing near2 information near2 base) near3 partition) and @rlad<"20040305"	US-PGPUB; USPAT	SAME	ON	2007/07/12 17:56
S35	0	((rout\$3 near2 information near2 base) near3 partition) and @rlad<"20040305"	US-PGPUB; USPAT	SAME	ON	2007/07/12 17:56
S36	355	((rout\$3 near2 information near2 base) or "RIB") near3 partition) and @rlad<"20040305"	US-PGPUB; USPAT	SAME	ON	2007/07/12 17:57
S37	0	((rout\$3 near2 information near2 base) or "RIB") near3 partition) and @rlad<"20040205" and "370"/\$.ccls.	US-PGPUB; USPAT	SAME	ON	2007/07/12 17:58
S38	0	((rout\$3 near2 information near2 base) or "RIB") with (rrout\$3 near2 process\$3)) and @rlad<"20040205" and "370"/\$.ccls.	US-PGPUB; USPAT	SAME	ON	2007/07/12 17:59
S39	0	((rout\$3 near2 information near2 base) or "RIB") with (rrout\$3 near2 process\$3)) and @rlad<"20040205"	US-PGPUB; USPAT	SAME	ON	2007/07/12 17:59

EAST Search History

S40	13	(((rout\$3 near2 information near2 base) or "RIB") with (rout\$3 near2 process\$3)) and @rlad<"20040205"	US-PGPUB; USPAT	SAME	ON	2007/07/14 14:06
S56	254771	(((routing or forwarding) near2 information near2 base) or RIB or FIB)	US-PGPUB; USPAT	SAME	ON	2007/11/29 11:32
S57	66178	(((routing or forwarding) near2 information near2 base) or RIB or FIB) and @rlad<"20040205"	US-PGPUB; USPAT	SAME	ON	2007/11/29 11:37
S58	1252	S57 and ((partition\$3 or distribut\$3) near4 (((routing or forwading) near2 information near2 base) or RIB or FIB)) and @rlad<"20040205"	US-PGPUB; USPAT	SAME	ON	2007/11/29 11:36
S59	1026	S57 and ((partition\$3 or distribut\$3) near3 (((routing or forwading) near2 information near2 base) or RIB or FIB)) and @rlad<"20040205"	US-PGPUB; USPAT	SAME	ON	2007/11/29 11:39
S60	66178	(((routing or forwarding) near2 information near2 base) or "RIB" or "FIB") and @rlad<"20040205"	US-PGPUB; USPAT	SAME	ON	2007/11/29 11:38
S61	269	(((routing or forwarding) near2 information near2 base)) and @rlad<"20040205"	US-PGPUB; USPAT	SAME	ON	2007/11/29 11:38
S62	13	S61 and ((partition\$3 or distribut\$3) near3 (((routing or forwading) near2 information near2 base) or RIB or FIB)) and @rlad<"20040205"	US-PGPUB; USPAT	SAME	ON	2007/11/29 11:40
S63	12	S61 and ((partition\$3 or distribut\$3) near3 (((routing or forwading) near2 information near2 base) or RIB or FIB)) and @rlad<"20040205" and (RIB or FIB)	US-PGPUB; USPAT	SAME	ON	2007/11/29 11:49
S66	438	((distribut\$3 or partition\$3) near3 rout\$3 near2 information) and @rlad<"20040205"	US-PGPUB; USPAT	SAME	ON	2007/11/29 13:47
S67	9	((distribut\$3 or partition\$3) near3 rout\$3 near2 information) and @rlad<"20040205" and (global near2 rout\$3 near2 information)	US-PGPUB; USPAT	SAME	ON	2007/11/29 15:38
S68	19	((distribut\$3 or partition\$3) near3 rout\$3 near2 information) and @rlad<"20040205" and (routing near2 information near2 base)	US-PGPUB; USPAT	SAME	ON	2007/11/29 14:12
S69	1	(global near2 routing near2 information near2 base)	US-PGPUB; USPAT	SAME	ON	2007/11/29 14:14
S70	5	(local near2 routing near2 information near2 base)	US-PGPUB; USPAT	SAME	ON	2007/11/29 14:59

EAST Search History

S71	376	(routing adj2 information adj2 base)	US-PGPUB; USPAT	SAME	ON	2007/11/29 15:00
S72	269	(routing adj1 information adj1 base)	US-PGPUB; USPAT	SAME	ON	2007/11/29 15:00
S73	60	(routing adj1 information adj1 base) and @rlad<"20040205"	US-PGPUB; USPAT	SAME	ON	2007/11/29 15:01
S74	0	(routing adj1 information adj1 base) and @rlad<"20040205" and ((global or partition\$3) near2 ("RIB") or (routing adj1 information adj1 base)))	US-PGPUB; USPAT	SAME	ON	2007/11/29 15:03
S75	7	(routing adj1 information adj1 base) and @rlad<"20040205" and ((global or partition\$3 or distribut\$3) near2 ("RIB") or (routing adj1 information adj1 base)))	US-PGPUB; USPAT	SAME	ON	2007/11/29 15:19
S76	2237	((global or partition\$3) near2 ("RIB") or (routing adj1 information adj1 base)))	US-PGPUB; USPAT	SAME	ON	2007/11/29 16:14
S77	0	((global or partition\$3) near2 ((routing adj1 information adj1 base)))	US-PGPUB; USPAT	SAME	ON	2007/11/29 15:21
S78	0	(segment near2 ((routing adj1 information adj1 base)))	US-PGPUB; USPAT	SAME	ON	2007/11/29 15:21
S79	140	(route adj1 processor) and @rlad<"20040205"	US-PGPUB; USPAT	SAME	ON	2007/11/29 15:23
S80	11	((route adj1 processor) with plurality) and @rlad<"20040205"	US-PGPUB; USPAT	SAME	ON	2007/11/29 15:27
S81	140	(route adj1 processors)and @rlad<"20040205"	US-PGPUB; USPAT	SAME	ON	2007/11/29 15:28
S82	1015	(rout\$3 adj1 processor\$1)and @rlad<"20040205"	US-PGPUB; USPAT	SAME	ON	2007/11/29 15:28
S83	1015	(rout\$3 adj1 processor\$1)and @rlad<"20040205"	US-PGPUB; USPAT	SAME	OFF	2007/11/29 15:29
S84	1015	(rout\$3 adj1 "processors")and @rlad<"20040205"	US-PGPUB; USPAT	SAME	ON	2007/11/29 15:30
S85	2676	(first adj1 processor) and (second adj1 processor) and @rlad<"20040205"	US-PGPUB; USPAT	SAME	ON	2007/11/29 15:31
S86	2	(first adj1 route adj1 processor) and (second adj1 route adj1 processor) and @rlad<"20040205"	US-PGPUB; USPAT	SAME	ON	2007/11/29 15:31
S87	9	(distribut\$3 or partition\$3) near2 (rout\$3 adj1 information adj1 base)	US-PGPUB; USPAT	SAME	ON	2007/11/29 16:10

EAST Search History

S88	0	((central\$7 or primary) near2 ((rout\$3 adj1 information adj1 base)) and @rlad<"20040205"	US-PGPUB; USPAT	SAME	ON	2007/11/29 16:12
S89	1827	((central\$7 or primary) near2 ((rout\$3 adj1 information adj1 base)) or "RIB") and @rlad<"20040205"	US-PGPUB; USPAT	SAME	ON	2007/11/29 16:13
S90	1	((central\$7 or primary) near2 ((rout\$3 adj1 information adj1 base)) or "RIB") and @rlad<"20040205" and "270"/\$.ccls.	US-PGPUB; USPAT	SAME	ON	2007/11/29 16:14
S91	0	((central\$7 or primary) near2 ((rout\$3 adj1 information adj1 base)) and @rlad<"20040205" and "270"/\$.ccls.	US-PGPUB; USPAT	SAME	ON	2007/11/29 16:14
S92	0	((central\$7 or primary) near2 ((rout\$3 adj1 information))) and @rlad<"20040205" and "270"/\$.ccls.	US-PGPUB; USPAT	SAME	ON	2007/11/29 16:14
S93	2	((central\$7 or primary) near2 ((rout\$3 adj1 information adj1 base)) or "RIB") and @rlad<"20040205" and "370"/\$.ccls.	US-PGPUB; USPAT	SAME	ON	2007/11/29 16:18
S94	0	((central\$7 or primary) near2 ((rout\$3 adj1 information adj1 base)) or "RIB") and @rlad<"20040205" and "709"/\$.ccls.	US-PGPUB; USPAT	SAME	ON	2007/11/29 16:18
S95	21	((local or global) adj2 "RIB") and @rlad<"20040205"	US-PGPUB; USPAT	SAME	ON	2007/11/29 16:58
S96	2	((local or global) adj2 "RIB") and @rlad<"20040205" and "370"/\$.ccls.	US-PGPUB; USPAT	SAME	ON	2007/11/29 16:59
S97	2	((loc\$3 or global) adj2 "RIB") and @rlad<"20040205" and "370"/\$.ccls.	US-PGPUB; USPAT	SAME	ON	2007/11/29 17:00
S98	2	((loc\$3 or global) adj1 "RIB") and @rlad<"20040205" and "370"/\$.ccls.	US-PGPUB; USPAT	SAME	ON	2007/11/29 17:00
S99	8	((local or global) adj1 "RIB") and @rlad<"20040205"	US-PGPUB; USPAT	SAME	ON	2007/11/29 17:06
S100	12	(global adj1 "RIB")	US-PGPUB; USPAT	SAME	ON	2007/11/29 17:07
S101	1	(global adj1 "RIB") and @rlad<"20040205"	US-PGPUB; USPAT	SAME	ON	2007/11/29 17:07
S110	5	(((routing or forwarding) adj2 information adj2 (base or database) or RIB or FIB) with (based near2 protocol))	US-PGPUB; USPAT	SAME	ON	2008/01/20 19:19

EAST Search History

S11 1	2	(((routing or forwarding) adj2 information adj2 (base or database) or RIB or FIB) with (based near2 protocol)) and @rlad<"20040205"	US-PGPUB; USPAT	SAME	ON	2008/01/20 19:17
S11 2	6	distributed near2 ((routing or forwarding) adj2 information adj2 (base or database))	US-PGPUB; USPAT	SAME	ON	2008/01/20 19:20
S11 3	2	distributed near2 ((routing or forwarding) adj2 information adj2 (base or database)) and @rlad<"20040205"	US-PGPUB; USPAT	SAME	ON	2008/01/20 19:22
S11 4	0	((OSPF adj2 RIB) and @rlad<"20040205"	US-PGPUB; USPAT	SAME	ON	2008/01/20 19:23
S11 5	0	((OSPF or IS-IS) adj2 RIB) and @rlad<"20040205"	US-PGPUB; USPAT	SAME	ON	2008/01/20 19:23
S11 6	8	((OSPF or IS-IS or RIP) adj2 RIB) and @rlad<"20040205"	US-PGPUB; USPAT	SAME	ON	2008/01/20 19:24
S11 7	1	((OSPF or IS-IS or RIP) adj2 FIB) and @rlad<"20040205"	US-PGPUB; USPAT	SAME	ON	2008/01/20 19:25
S11 8	2	((OSPF or IS-IS or RIP or BGP or global) adj2 FIB) and @rlad<"20040205"	US-PGPUB; USPAT	SAME	ON	2008/01/20 19:26
S11 9	2	((OSPF or IS-IS or RIP or BGP or global or distributed) adj2 FIB) and @rlad<"20040205"	US-PGPUB; USPAT	SAME	ON	2008/01/20 19:26
S12 0	2	((OSPF or IS-IS or RIP or BGP or global or distributed or protocol-based) adj2 FIB) and @rlad<"20040205"	US-PGPUB; USPAT	SAME	ON	2008/01/20 19:26
S12 1	15	((OSPF or IS-IS or RIP or BGP or global or distributed or protocol) near2 FIB) and @rlad<"20040205"	US-PGPUB; USPAT	SAME	ON	2008/01/20 19:28
S12 2	389	((OSPF or IS-IS or RIP or BGP or global or distributed or protocol) near2 (FIB or (rout\$3 adj2 table))) and @rlad<"20040205"	US-PGPUB; USPAT	SAME	ON	2008/01/20 19:36
S12 3	214	((OSPF or IS-IS or RIP or BGP or global or distributed) near2 (FIB or (rout\$3 adj2 table))) and @rlad<"20040205"	US-PGPUB; USPAT	SAME	ON	2008/01/20 19:30
S12 4	169	((OSPF or IS-IS or RIP or BGP or global) near2 (FIB or (rout\$3 adj2 table))) and @rlad<"20040205"	US-PGPUB; USPAT	SAME	ON	2008/01/20 19:30
S12 5	137	((OSPF or IS-IS or RIP or BGP) near2 (FIB or (rout\$3 adj2 table))) and @rlad<"20040205"	US-PGPUB; USPAT	SAME	ON	2008/01/20 19:30

EAST Search History

S12 6	44	((OSPF or IS-IS or RIP) near2 (FIB or (rout\$3 adj2 table))) and @rlad<"20040205"	US-PGPUB; USPAT	SAME	ON	2008/01/20 19:31
S12 7	13	((OSPF or IS-IS) near2 (FIB or (rout\$3 adj2 table))) and @rlad<"20040205"	US-PGPUB; USPAT	SAME	ON	2008/01/20 19:31
S12 8	11	((OSPF) near2 (FIB or (rout\$3 adj2 table))) and @rlad<"20040205"	US-PGPUB; USPAT	SAME	ON	2008/01/20 19:32
S12 9	2	((OSPF and RIP) near2 (FIB or (rout\$3 adj2 table))) and @rlad<"20040205"	US-PGPUB; USPAT	SAME	ON	2008/01/20 19:32
S13 0	847	((rout\$3 or forward\$3) adj2 information adj2 (table or database or base)) and @rlad<"20040205"	US-PGPUB; USPAT	SAME	ON	2008/01/20 19:37
S13 1	10	((plurly or multiple) near3 ((rout\$3 or forward\$3) adj2 information adj2 (table or database or base)) and @rlad<"20040205"	US-PGPUB; USPAT	SAME	ON	2008/01/20 19:40
S13 2	10	((plurly or multiple) near3 ((rout\$3 or forward\$3) adj2 information adj2 (table or database or base or processor\$1))) and @rlad<"20040205"	US-PGPUB; USPAT	SAME	ON	2008/01/20 19:41
S13 3	24	((plurly or multiple) near3 (rout\$3 adj2 processor\$1)) and @rlad<"20040205"	US-PGPUB; USPAT	SAME	ON	2008/01/21 16:15
S13 4	466	(protocol-specific) and @rlad<"20040205"	US-PGPUB; USPAT	SAME	ON	2008/01/21 16:15
S13 5	0	((protocol-specific) near2 (routing near2 (base\$1 or database or processor or table))) and @rlad<"20040205"	US-PGPUB; USPAT	SAME	ON	2008/01/21 17:15
S13 6	0	((protocol-specific) near5 (routing near2 (base\$1 or database or processor or table))) and @rlad<"20040205"	US-PGPUB; USPAT	SAME	ON	2008/01/21 16:17
S13 7	0	((protocol-specific) with (routing near2 (base\$1 or database or processor or table))) and @rlad<"20040205"	US-PGPUB; USPAT	SAME	ON	2008/01/21 16:18
S13 8	5	((protocol near2 specific) with (routing near2 (base\$1 or database or processor or table))) and @rlad<"20040205"	US-PGPUB; USPAT	SAME	ON	2008/01/21 18:35
S13 9	23	(takatoshi near2 okagawa).in.	US-PGPUB; USPAT	SAME	ON	2008/01/21 16:56

EAST Search History

S14 0	130	((global\$3) near5 (routing near2 (base\$1 or database or processor or table))) and @rlad<"20040205"	US-PGPUB; USPAT	SAME	ON	2008/01/21 17:05
S14 1	93	((global\$3) near3 (routing near2 (base\$1 or database or processor or table))) and @rlad<"20040205"	US-PGPUB; USPAT	SAME	ON	2008/01/21 17:05
S14 2	0	((protocol-specific) near5 (RIB or routing adj2 information adj2 (base or table))) and @rlad<"20040205"	US-PGPUB; USPAT	SAME	ON	2008/01/21 17:17
S14 3	0	((protocol-specific) near5 (RIB or (routing adj2 information adj2 (base or table)))) and @rlad<"20040205"	US-PGPUB; USPAT	SAME	ON	2008/01/21 17:18
S14 4	3	((protocol-specific) or global) near5 (RIB)) and @rlad<"20040205"	US-PGPUB; USPAT	SAME	ON	2008/01/22 11:04
S14 5	115	(routing adj2 information adj2 base) and @rlad<"20040205"	US-PGPUB; USPAT	SAME	ON	2008/01/21 17:26
S14 6	0	((routing adj2 information adj2 base) near5 global) and @rlad<"20040205"	US-PGPUB; USPAT	SAME	ON	2008/01/21 17:27